




hellomockingbird.com

@hello_mockingbird



mockingbird



Clek Car Seat Adapter

Go from car to stroller and back again without missing a beat.

Warning

MB1

Failure to follow these warnings and the instructions could result in serious injury or death. Before use please read and follow all of these instructions to ensure the safety of your children. Keep these instructions for future reference.

Avoid serious injury from falling or sliding out. Always ensure that the child is properly positioned by using the safety harness according to your infant car seat instruction manual.

This product is not from, sponsored or endorsed by Clek.


Choking Hazard

Adult assembly required due to **small parts**. Keep assembly parts out of reach of children. Remove and discard packing material before using this product.

General Warnings

- Never leave children unattended. Always keep children in view while in the Stroller.
- Make sure the Stroller is fully erect and latched in the open and locked position before allowing children near the Stroller.
- Avoid injury, make sure all body parts are clear of the Stroller when folding and unfolding.
- Lock the brakes and check the stability of your Stroller before placing your child in or removing your child from the Stroller.
- **Tip Hazard**, Placing excessive weight in or on the Car Seat Adapter or infant car seat (e.g., purses, bags, parcels, accessories) may change the Stroller balance and cause unstable hazardous conditions.
- Always follow the maximum weight and height limits for your infant car seat. If you are unsure, consult your infant car seat instructions or call the manufacturer for details.
- Use of the Car Seat Adapter exceeding the maximum load carrying capacity of the infant car seat will cause excessive wear and stress on the Stroller and may cause unstable hazardous conditions.
- Always check that the Car Seat Adapter is securely latched to the Stroller on both sides by lifting up on the Car Seat Adapter.
- Always make sure the infant car seat is facing the stroller handlebar before installing onto the Car Seat Adapter.
- Never allow the Car Seat Adapter to be used as a toy.
- Regularly inspect Car Seat Adapter parts for damage. Do not use if any parts are broken, damaged, or missing.
- Not intended for sleep, if your child falls asleep, please move to an approved sleep product.
- Read and follow all instructions for your Mockingbird Stroller and any Mockingbird Stroller accessories.
- Read and follow all instructions for your infant car seat.
- Only use the Mockingbird approved infant car seats for this Car Seat Adapter.
- The car seat models compatible with this product may change, visit hellomockingbird.com for an up to date list.
- If you're unable to securely attach the Car Seat Adapter to your Mockingbird Stroller, remove all parts and contact the Mockingbird Customer Experience Team at support@hellomockingbird.com or text us at 646.933.1290 (US).

First, unpack the box and make sure you've got everything




Clek Car Seat Adapter (2)

1 Prepare your Stroller


Engage the brake

Push downward on the brake to lock your stroller in place.



Remove your seat


If you have your Stroller seat attached, push the white buttons on both sides of the seat and pull up to fully remove.



2 Attach the Car Seat Adapter


Line up the Car Seat Adapter

Locate the arrows on the outside of each adapter. Line up each adapter so the arrows are facing the front of the stroller, away from the handlebar.




Attach the Car Seat Adapter

Place the Car Seat Adapters into the right and left stroller joint. You will hear them “CLICK” into place once they are secure. Pull up on each adapter to make sure they are locked.



3 Attach the infant car seat

With your infant car seat facing the handlebars, place it onto the Car Seat Adapter until you hear it “CLICK” into place. Pull up on the infant car seat to make sure it is locked.



Pro Tip

When folding your Stroller, you can leave the Car Seat Adapter attached (whether it's one set or two, if using a 2nd Seat Kit!). You will just need to remove the infant car seat itself.

4 Remove the infant car seat and Car Seat Adapter

Remove the infant car seat

Grasp the release handle at the back of the infant car seat, squeeze it upwards, and then lift up the infant car seat by the carry handle.




Important!

The Car Seat Adapter should stay attached to your Stroller frame when you remove the infant car seat. If they come off together, reconnect the Car Seat Adapter to the frame and remove the infant car seat first.

Remove the Car Seat Adapter

Remove the Car Seat Adapter by clicking the white buttons on the Stroller frame and lifting the Car Seat Adapter off the frame.



When things get messy

Cleaning the Car Seat Adapter



Hand wash with damp
cloth and mild detergent
if needed